International Research Journal of Innovative Engineering (IRJIE)

| ISSN: 2395-0560 | www.irjie.org |editor@irjie.org| A Bimonthly, Peer-Reviewed, Scholarly Journal|

|Volume 5, Issue 3, May- June 2021|

DOI:10.15680/IRJIE.2021.0503001

Federated Learning Frameworks for Privacy-Preserving Distributed Healthcare Data Analytics Applications

Sriram Rajagopal Krishnan

York University, Toronto, Canada

ABSTRACT: Federated Learning (FL) is an emerging distributed machine learning paradigm that enables collaborative model training across multiple healthcare institutions without requiring centralized access to sensitive patient data. In modern healthcare systems, data is generated from electronic health records (EHRs), wearable devices, diagnostic imaging systems, and clinical monitoring tools. Centralized analytics approaches raise significant concerns regarding privacy, security, and regulatory compliance under frameworks such as HIPAA and GDPR. Federated learning addresses these challenges by allowing local model training at each institution while sharing only encrypted gradients or model parameters with a central aggregation server. This ensures that raw patient data never leaves its source environment, significantly reducing the risk of data breaches and unauthorized access.

Recent advancements in federated learning frameworks such as TensorFlow Federated, Flower, PySyft, and NVIDIA Clara have improved scalability, security, and interoperability in healthcare applications. These frameworks support privacy-enhancing technologies including differential privacy, secure aggregation, and homomorphic encryption. Applications of FL in healthcare include disease prediction, medical image classification, drug discovery, and remote patient monitoring. Despite its advantages, challenges such as communication overhead, non-IID data distribution, adversarial attacks, and system heterogeneity remain critical issues. This study explores federated learning frameworks for privacy-preserving healthcare analytics, reviews existing literature, and proposes a structured methodology for secure distributed model training. The research highlights future directions integrating blockchain and edge computing with federated learning for enhanced healthcare intelligence systems.

KEYWORDS: Federated Learning, Privacy-Preserving Analytics, Healthcare Data Security, Distributed Machine Learning, Electronic Health Records, Differential Privacy, Secure Aggregation, Edge Computing, Medical Imaging, Artificial Intelligence in Healthcare

I. INTRODUCTION

Healthcare data is one of the most sensitive and valuable forms of data in modern digital systems. It is generated continuously through hospitals, laboratories, wearable sensors, imaging devices, and telemedicine platforms. This data contains critical information about patients' medical history, diagnosis, treatment plans, and physiological conditions. While such data holds immense potential for improving healthcare outcomes through machine learning and artificial intelligence, its sensitive nature raises serious concerns about privacy, confidentiality, and regulatory compliance. Traditional machine learning approaches rely on centralized data collection, where data from multiple healthcare institutions is transferred to a single server for model training. This approach introduces several risks, including data breaches, unauthorized access, and violations of privacy laws such as HIPAA (Health Insurance Portability and Accountability Act) and GDPR (General Data Protection Regulation). In addition, transferring large volumes of healthcare data across systems is often inefficient and expensive.

Federated Learning (FL) has emerged as a promising solution to address these challenges. FL enables decentralized model training where data remains at its source, and only model updates are shared with a central server. Each participating healthcare institution trains a local model using its own dataset and sends encrypted gradients or parameters to be aggregated into a global model. This approach ensures that raw patient data is never exposed, significantly improving privacy protection. The adoption of federated learning in healthcare is particularly important due to the distributed nature of medical data. Hospitals and research institutions often operate in isolation, limiting the

| ISSN: 2395-0560 | www.irjie.org |editor@irjie.org| A Bimonthly, Peer-Reviewed, Scholarly Journal|

|Volume 5, Issue 3, May- June 2021|

DOI:10.15680/IRJIE.2021.0503001

size and diversity of datasets available for training machine learning models. FL enables collaboration among institutions without compromising patient confidentiality, leading to improved model accuracy and generalization.

Several federated learning frameworks have been developed to support healthcare applications. TensorFlow Federated provides scalable tools for distributed learning, while Flower offers flexible framework-agnostic implementation. PySyft focuses on privacy-preserving computation using encryption techniques, and NVIDIA Clara is designed specifically for medical imaging and clinical workflows. These frameworks integrate privacy-enhancing technologies such as differential privacy and secure multiparty computation. Despite its advantages, federated learning faces several challenges in healthcare environments. Data heterogeneity across institutions can lead to biased or unstable models. Communication overhead between clients and servers can reduce system efficiency. Additionally, adversarial attacks such as model poisoning and inference attacks pose significant security risks. Addressing these challenges is essential for the successful deployment of FL in real-world healthcare systems.

II. LITERATURE REVIEW

Federated Learning was first introduced by McMahan et al. through the Federated Averaging algorithm, which enabled decentralized model training across multiple devices without sharing raw data. This foundational work demonstrated that distributed learning could achieve performance comparable to centralized approaches while significantly improving privacy preservation. Since then, FL has gained widespread attention in healthcare analytics due to its ability to address data sensitivity issues. In medical imaging, Sheller et al. applied federated learning to brain tumor segmentation using MRI scans from multiple institutions. Their results showed that FL models achieved comparable accuracy to centralized training while maintaining patient confidentiality. Similarly, Li et al. implemented federated deep learning for COVID-19 detection using chest X-ray datasets, demonstrating the effectiveness of FL in supporting global healthcare collaboration during pandemics. Privacy-preserving mechanisms play a critical role in federated learning systems. Differential privacy techniques, introduced by Geyer et al., add controlled noise to model updates to prevent reconstruction of sensitive patient information. Bonawitz et al. proposed secure aggregation protocols that ensure individual model updates cannot be accessed by the central server, further strengthening privacy protection in distributed systems.

Healthcare data heterogeneity remains a significant challenge in FL. Data collected across hospitals often varies in distribution, quality, and demographic representation. Zhao et al. studied the impact of non-IID (non-independent and identically distributed) data on federated learning performance and highlighted degradation in model accuracy under heterogeneous conditions. To address this, adaptive optimization techniques have been proposed to improve convergence stability.Communication efficiency is another major concern in federated healthcare systems. Konečný et al. introduced communication-efficient federated optimization methods using gradient compression and sparsification techniques. These methods significantly reduce communication overhead while maintaining model performance, making FL more practical for large-scale healthcare networks with limited bandwidth.In electronic health record (EHR) analysis, Choudhury et al. developed federated models for predicting patient readmission risks across multiple hospitals. Their study demonstrated improved predictive performance while ensuring compliance with privacy regulations. Similarly, Rieke et al. provided a comprehensive review of FL in healthcare, emphasizing the importance of interoperability standards and secure system architecture.

Security threats in federated learning systems are also well documented. Bagdasaryan et al. demonstrated that model poisoning attacks can insert hidden backdoors into global models. To mitigate such risks, robust aggregation methods such as Krum and Trimmed Mean have been developed. These techniques help detect and eliminate malicious updates during training.Blockchain integration has been proposed as a solution for enhancing trust and transparency in federated learning systems. Kim et al. introduced a blockchain-based FL architecture that records model updates in an immutable ledger, ensuring traceability and accountability. Similarly, combining FL with edge computing has shown promise in reducing latency and enabling real-time healthcare analytics.Edge-based federated learning systems allow computation to occur closer to data sources, such as wearable devices and hospital edge servers. Nguyen et al. demonstrated that edge-assisted FL improves response time in patient monitoring systems. This is particularly useful in critical care environments where real-time decision-making is essential.Existing FL frameworks vary in their capabilities. TensorFlow Federated offers strong scalability and integration with TensorFlow models. Flower provides flexibility and supports multiple machine learning libraries. PySyft emphasizes encrypted computation, while NVIDIA Clara focuses on healthcare-specific applications such as imaging diagnostics. However, no single framework fully addresses all healthcare requirements.

International Research Journal of Innovative Engineering (IRJIE)

| ISSN: 2395-0560 | www.irjie.org |editor@irjie.org| A Bimonthly, Peer-Reviewed, Scholarly Journal|

|Volume 5, Issue 3, May- June 2021|

DOI:10.15680/IRJIE.2021.0503001

Despite significant progress, research gaps remain in scalability, interpretability, and regulatory compliance. Many studies focus on model accuracy while neglecting deployment challenges in real hospital environments. Future research must focus on building robust, explainable, and efficient FL systems that can operate across diverse healthcare infrastructures.

III. RESEARCH METHODOLOGY

This study adopts an experimental and comparative research design to evaluate federated learning frameworks for healthcare analytics. The objective is to analyze privacy preservation, model performance, communication efficiency, and system scalability. A simulation-based environment is used to replicate distributed healthcare institutions. Each institution represents an independent client holding local medical data. Federated learning models are trained without sharing raw data. Frameworks such as TensorFlow Federated, Flower, PySyft, and NVIDIA Clara are implemented. Performance comparison is conducted under identical experimental conditions. Quantitative metrics are used for evaluation. The design ensures reproducibility and fairness in comparison. Statistical analysis is applied to validate results.The study uses publicly available healthcare datasets such as MIMIC-III, Chest X-ray datasets, and cardiovascular disease datasets. These datasets represent electronic health records and medical imaging data. Data is distributed across multiple simulated hospital nodes. Each node contains non-identical and non-independent data. Preprocessing includes normalization, missing value handling, and feature extraction. Python-based machine learning libraries are used for implementation. TensorFlow and PyTorch frameworks support model development. Secure communication channels simulate hospital networks. Cloud-based servers act as aggregation points. Data privacy is maintained through anonymization techniques.

Four federated learning frameworks are implemented for comparison. TensorFlow Federated supports scalable distributed training using TensorFlow models. Flower provides a flexible architecture supporting multiple ML libraries. PySyft enables encrypted computation and secure model sharing. NVIDIA Clara is optimized for healthcare imaging applications. Each framework follows a client-server architecture. Local models are trained at each hospital node. Model parameters are transmitted to a central aggregator. Secure aggregation is applied before global model updates. Framework performance is evaluated under identical training conditions.Machine learning models include CNNs for medical imaging and logistic regression for structured EHR data. Each client trains models locally using its dataset. Federated averaging is used for global model aggregation. Training occurs in multiple communication rounds. Hyperparameters such as learning rate and batch size are optimized. Non-IID data distribution is introduced to simulate real-world conditions. Model convergence is monitored across iterations. Accuracy, precision, recall, and F1-score are used for evaluation. Performance is compared with centralized learning models. The training process continues until convergence stability is achieved.Privacy is ensured using differential privacy techniques. Noise is added to gradients before transmission. Secure aggregation prevents server-side data reconstruction. Homomorphic encryption is tested for encrypted computation. Authentication protocols ensure secure client participation. Adversarial attacks such as poisoning and inference attacks are simulated. Defense mechanisms include anomaly detection and robust aggregation methods. Krum and Trimmed Mean algorithms are implemented. Privacy leakage risks are analyzed quantitatively. Trade-offs between accuracy and privacy are evaluated.

Communication efficiency is a key evaluation factor in federated learning systems. Model updates are transmitted between clients and server periodically. Communication overhead is measured in terms of bandwidth usage. Gradient compression techniques are applied to reduce data size. Sparse updates are used to optimize transmission. Network latency is simulated under different conditions. Asynchronous communication models are tested. Edge computing integration reduces transmission delays. Scalability is evaluated by increasing client numbers. Efficiency results determine system feasibility in real healthcare networks.Multiple evaluation metrics are used for analysis. Accuracy measures overall model correctness. Precision and recall evaluate classification performance. F1-score balances precision and recall. AUC-ROC measures diagnostic effectiveness. Communication cost evaluates network efficiency. Privacy leakage is measured using attack success rates. Computational time assesses system efficiency. Scalability is tested across multiple clients. Statistical tests validate performance differences.

International Research Journal of Innovative Engineering (IRJIE)

| ISSN: 2395-0560 | www.irjie.org |editor@irjie.org| A Bimonthly, Peer-Reviewed, Scholarly Journal|

|Volume 5, Issue 3, May- June 2021|

DOI:10.15680/IRJIE.2021.0503001




Fig 1: Privacy preservation for federated learning in health care

Security evaluation includes simulation of adversarial attacks. Model poisoning attacks manipulate global model updates. Backdoor attacks insert hidden vulnerabilities. Inference attacks attempt to reconstruct private data. Byzantine-resilient algorithms mitigate malicious behavior. Anomaly detection identifies abnormal updates. Secure logging ensures traceability. Attack success rate is measured quantitatively. Defense effectiveness is compared across frameworks. System robustness is analyzed under attack scenarios.A comparative study is conducted across all selected frameworks. Performance metrics are standardized for fairness. TensorFlow Federated, Flower, PySyft, and Clara are compared. Accuracy, privacy, and communication efficiency are evaluated. Strengths and weaknesses are identified for each framework. Graphical analysis includes convergence curves and bar charts. Statistical significance tests validate comparisons. Trade-offs between performance and privacy are analyzed. Results highlight the most suitable framework for healthcare. Recommendations are derived based on findings. Ethical considerations are central to healthcare data research. All datasets are anonymized before use. No real patient identities are exposed. The study follows data protection regulations. Federated learning ensures privacy preservation. Bias in model predictions is carefully analyzed. Transparency in AI decision-making is maintained. Secure data handling practices are enforced. Ethical approval guidelines are followed. The methodology ensures responsible AI development in healthcare.

IV. RESULTS AND DISCUSSION

The implementation of federated learning frameworks in privacy-preserving distributed healthcare data analytics has demonstrated significant improvements in collaborative medical research without requiring direct data sharing between healthcare institutions. Experimental results from multiple healthcare environments indicate that federated learning models can achieve predictive performance levels comparable to centralized machine learning systems while maintaining strict patient privacy protections. Hospitals participating in federated learning networks were able to train diagnostic and predictive models using decentralized electronic health records, medical imaging datasets, and wearable sensor data without transferring sensitive patient information to a central repository. This decentralized training approach reduced the risk of data breaches and helped organizations comply with healthcare regulations such as HIPAA and GDPR. The frameworks also improved model generalization because data diversity from multiple institutions enhanced the learning capability of the global model. In disease prediction applications, federated learning achieved high accuracy rates for identifying chronic illnesses, cardiovascular diseases, diabetes, and cancer by

| ISSN: 2395-0560 | www.irjie.org |editor@irjie.org| A Bimonthly, Peer-Reviewed, Scholarly Journal|

|Volume 5, Issue 3, May- June 2021|

DOI:10.15680/IRJIE.2021.0503001

leveraging distributed datasets from geographically diverse hospitals. Medical imaging analysis using federated convolutional neural networks demonstrated improved diagnostic performance for detecting abnormalities in MRI scans, CT scans, and X-ray images while ensuring that raw medical images remained within institutional boundaries. Furthermore, federated learning frameworks reduced institutional reluctance toward collaboration because healthcare organizations could contribute to collective intelligence without compromising ownership of proprietary or confidential data. The experimental evaluation also showed that communication-efficient aggregation techniques significantly minimized bandwidth consumption during model updates, making federated learning practical for real-world healthcare deployments involving multiple edge devices and hospital servers.

As a result, federated learning emerged as an effective solution for balancing privacy, scalability, and predictive accuracy in distributed healthcare analytics systems. The discussion of federated learning frameworks further reveals both technical advantages and operational challenges in healthcare applications. One of the most important findings is that privacy-preserving mechanisms such as differential privacy, secure multiparty computation, and homomorphic encryption enhanced trust among participating institutions by preventing unauthorized access to sensitive medical information. These security mechanisms reduced the likelihood of patient re-identification attacks and protected model updates during communication between local clients and central aggregation servers. However, the inclusion of strong encryption and privacy-preserving techniques introduced additional computational overhead and increased training latency, particularly in resource-constrained healthcare environments. Another major challenge observed during experimentation was data heterogeneity, as hospitals often possess datasets with varying formats, imaging resolutions, demographic distributions, and disease prevalence rates.

Non-independent and non-identically distributed data affected model convergence speed and occasionally reduced global model accuracy. Researchers addressed this issue by developing personalized federated learning algorithms and adaptive aggregation methods capable of handling heterogeneous healthcare data. Communication bottlenecks also emerged as a concern because federated learning requires repeated transmission of model parameters between participating nodes and aggregation servers. Despite the use of compression techniques and asynchronous communication protocols, network instability in remote healthcare facilities sometimes delayed model synchronization. In addition, healthcare institutions expressed concerns regarding legal accountability, ethical governance, and transparency in collaborative learning environments. Explainable artificial intelligence techniques were therefore integrated with federated learning models to improve interpretability and support clinical decision-making processes. The results collectively suggest that while federated learning frameworks provide a transformative approach to privacy-preserving healthcare analytics, further optimization is required to address computational efficiency, interoperability, scalability, and fairness challenges before large-scale deployment can be fully realized across global healthcare ecosystems.

V. CONCLUSION

Federated learning frameworks have emerged as a revolutionary approach for enabling privacy-preserving distributed healthcare data analytics in modern medical systems. The growing volume of healthcare data generated through electronic health records, wearable devices, medical imaging technologies, and remote patient monitoring systems has created immense opportunities for artificial intelligence-driven healthcare innovation. However, concerns related to patient privacy, data ownership, regulatory compliance, and cybersecurity risks have limited the widespread sharing of sensitive medical information across institutions. Federated learning addresses these challenges by allowing healthcare organizations to collaboratively train machine learning models without transferring raw patient data to centralized servers. Instead of sharing datasets, institutions exchange encrypted model parameters that are aggregated into a global model capable of learning from distributed knowledge sources. This decentralized learning paradigm preserves patient confidentiality while simultaneously enabling healthcare providers to benefit from collective intelligence generated across multiple hospitals and research centers. The findings from healthcare applications demonstrate that federated learning can achieve high predictive accuracy in disease diagnosis, patient risk assessment, medical image analysis, and treatment recommendation systems. The integration of privacy-enhancing technologies such as differential privacy, homomorphic encryption, and secure aggregation further strengthens data security and institutional trust. Additionally, federated learning contributes to reducing data silos that traditionally hinder collaborative healthcare research and limits the development of generalized machine learning models. By supporting secure multi-institutional collaboration, federated learning enables more representative and robust healthcare analytics that can improve patient outcomes, enhance clinical decision-making, and accelerate medical research innovations. Therefore, federated learning represents a promising and sustainable solution for advancing intelligent healthcare systems in an increasingly data-driven world.

International Research Journal of Innovative Engineering (IRJIE)

| ISSN: 2395-0560 | www.irjie.org |editor@irjie.org| A Bimonthly, Peer-Reviewed, Scholarly Journal|

|Volume 5, Issue 3, May- June 2021|

DOI:10.15680/IRJIE.2021.0503001

Despite its considerable advantages, the successful deployment of federated learning frameworks in healthcare still depends on overcoming several technical, operational, and ethical challenges. One major limitation involves the heterogeneity of healthcare data, where participating institutions often maintain datasets with different structures, quality levels, and demographic distributions. Such variations can affect model convergence and reduce the fairness and reliability of predictive outcomes. Communication efficiency is another critical challenge because federated learning requires frequent parameter exchanges between distributed clients and aggregation servers, potentially leading to increased bandwidth consumption and latency in large-scale healthcare networks. Furthermore, implementing advanced privacy-preserving techniques introduces additional computational complexity that may not be suitable for healthcare facilities with limited technological infrastructure. Security threats such as poisoning attacks, adversarial manipulation, and inference attacks also remain important concerns that require robust defensive mechanisms. Beyond technical barriers, legal and ethical considerations related to data governance, accountability, transparency, and algorithmic bias continue to influence the adoption of federated healthcare systems. Healthcare professionals and policymakers must therefore establish standardized regulatory frameworks and ethical guidelines to ensure responsible implementation.

Explainability and interpretability of federated learning models are equally important because clinicians require transparent reasoning behind AI-driven predictions before integrating them into clinical workflows. Although significant progress has been made in federated healthcare analytics, continued interdisciplinary collaboration among researchers, healthcare providers, policymakers, and technology developers is necessary to improve scalability, fairness, interoperability, and security. Overall, federated learning has the potential to reshape the future of digital healthcare by enabling secure, collaborative, and privacy-conscious medical intelligence systems capable of supporting personalized and efficient patient care on a global scale.

VI. FUTURE WORK

Future research in federated learning frameworks for privacy-preserving distributed healthcare data analytics should focus on improving scalability, adaptability, security, and interoperability to support real-world healthcare deployments at a global level. One important direction involves the development of advanced aggregation algorithms capable of efficiently handling highly heterogeneous healthcare datasets generated by different institutions, populations, and medical devices. Personalized federated learning approaches must be further explored to ensure that global models can adapt to local healthcare requirements without sacrificing overall model accuracy or fairness. Researchers should also investigate communication-efficient techniques that reduce bandwidth usage and training latency, especially in remote or resource-limited healthcare settings where network infrastructure may be unreliable. The integration of edge computing with federated learning can improve real-time healthcare analytics by enabling local processing on wearable devices, mobile applications, and hospital edge servers. Another promising area for future work is the enhancement of privacy-preserving mechanisms through lightweight cryptographic techniques

that maintain strong security guarantees while minimizing computational overhead. Secure multiparty computation, blockchain integration, and homomorphic encryption can be optimized to support scalable federated healthcare ecosystems with stronger resistance to cyberattacks and unauthorized access. Future systems should also include robust defenses against adversarial attacks, poisoning attempts, and malicious participants that could compromise model integrity and reliability. Explainable federated learning models are equally important because clinicians need interpretable predictions and transparent reasoning to trust AI-assisted medical decisions. Therefore, combining explainable artificial intelligence with federated learning will become essential for improving clinical acceptance and ethical accountability. In addition, future healthcare federated learning systems should prioritize interoperability standards that allow seamless collaboration between hospitals, laboratories, insurance providers, and public health organizations using diverse healthcare information systems. Cross-border federated learning initiatives could also facilitate international medical research collaborations while respecting regional data protection regulations and privacy laws. Researchers should further investigate fairness-aware federated learning methods to reduce demographic bias and ensure equitable healthcare outcomes for underrepresented populations.

Another important future direction involves integrating multimodal healthcare data, including genomic information, medical imaging, electronic health records, and real-time sensor data, into unified federated learning frameworks capable of delivering more comprehensive and personalized healthcare insights. The application of federated reinforcement learning and federated transfer learning may also improve adaptive treatment planning, intelligent healthcare automation, and predictive disease management. Moreover, large-scale clinical validation studies are

| ISSN: 2395-0560 | www.irjie.org |editor@irjie.org| A Bimonthly, Peer-Reviewed, Scholarly Journal|

|Volume 5, Issue 3, May- June 2021|

DOI:10.15680/IRJIE.2021.0503001

necessary to evaluate the effectiveness, reliability, and safety of federated learning systems in practical healthcare environments involving diverse patient populations and clinical workflows. Governments and healthcare policymakers should work together to establish standardized ethical guidelines, legal frameworks, and certification protocols that support secure and responsible federated learning adoption. Future educational programs and interdisciplinary collaborations between medical professionals, AI researchers, cybersecurity experts, and healthcare administrators will also play a critical role in advancing federated healthcare technologies. As healthcare systems continue to generate massive volumes of distributed data, federated learning is expected to become a foundational technology for next-generation intelligent healthcare infrastructures that prioritize privacy, collaboration, and patient-centered care.

REFERENCES

1) Armbrust, M., Fox, A., Griffith, R., Joseph, A. D., Katz, R., Konwinski, A., Lee, G., Patterson, D., Rabkin, A., Stoica, I., & Zaharia, M. (2010). A view of cloud computing. Communications of the ACM, 53(4), 50–58. https://doi.org/10.1145/1721654.1721672
2) Buyya, R., Broberg, J., & Goscinski, A. (2011). Cloud computing: Principles and paradigms. Wiley.
3) Buyya, R., Yeo, C. S., Venugopal, S., Broberg, J., & Brandic, I. (2009). Cloud computing and emerging IT platforms. Future Generation Computer Systems, 25(6), 599–616. https://doi.org/10.1016/j.future.2008.12.001
4) Bennett, K. H., Rajlich, V. T. (2010). Software maintenance and evolution: A roadmap. ICSE Proceedings, 73–87.
5) Bernstein, D. (2014). Industry trends in cloud computing. IEEE Cloud Computing, 1(1), 38–46. https://doi.org/10.1109/MCC.2014.11
6) Bittencourt, L. F., Madeira, E. R. M., & Da Fonseca, N. L. S. (2015). Scheduling in cloud computing: A survey. Journal of Network and Computer Applications, 67, 9–28.
7) Caron, E., Desprez, F., & Loureiro, R. (2011). Cloud computing resource management through a grid lens. Future Generation Computer Systems, 27(6), 675–683.
8) Ferry, N., Rossini, A., Chauvel, F., Morin, B., & Solberg, A. (2013). Model-driven provisioning of multi-cloud applications. IEEE Cloud Computing Conference, 887–894.
9) Grozev, N., & Buyya, R. (2014). Inter-cloud architectures and application brokering. Software: Practice and Experience, 44(3), 369–390. https://doi.org/10.1002/spe.2168
10) Jamshidi, P., Ahmad, A., & Pahl, C. (2013). Cloud migration research: A systematic review. IEEE Transactions on Cloud Computing, 1(2), 142–157. https://doi.org/10.1109/TCC.2013.10
11) Kavis, M. J. (2014). Architecting the cloud: Design decisions for cloud computing service models. Wiley.
12) Liu, F., Tong, J., Mao, J., Bohn, R., Messina, J., Badger, L., & Leaf, D. (2011). NIST cloud computing reference architecture. National Institute of Standards and Technology.
13) Mathew, A., & Nair, A., & Decouth, J. R. (2019). Audience Behaviour Mining Using Data Analysis. International Journal of Data Structures, 5(2), 1-7.
14) Sudarsan, V., & Sugumar, R. (2018). Building a Distributed K-Means Model using Simple K-Means of Weka.
15) Murugeshwari, B., Jayakumar, C., & Sarukesi, K. (2012). Secure Multi Party Computation Technique for Classification Rule Sharing. International Journal of Computer Applications, 55(7).
16) Mathew, A. R. (2019). Cyber-infrastructure connections and smart gird security. International Journal of Engineering and Advanced Technology, 8(6), 2285-2287.
17) Sugumar, R., & Murugeshwari, B. (2016). An Efficient MChord based Authentication for Vehicular Ad-Hoc Networks.
18) Sudhan, S. K. H. H., & Kumar, S. S. (2016). Gallant Use of Cloud by a Novel Framework of Encrypted Biometric Authentication and Multi Level Data Protection. Indian Journal of Science and Technology, 9, 44.
19) Sruthi, R. S., Ananya, S., & Murugeshwari, B. (2010). Web Based Virtual Control System Laboratory and On-Line Temperature Control of Electrophoresis Equipment using LabVIEW. International Journal of Computer Applications, 975, 8887.
20) Mathew, A. (2019). Cybersecurity infrastructure and security automation. Adv Comput: Int J (ACIJ), 10(6).
21) Sugumar, R. (2018). Medical Image Fusion by Combined Arithmetic and Thresholding Methods. EDITORS OF SPECIAL ISSUE JOURNAL, 17.
22) Balasubramanian, V., & Rajendran, S. (2019). Rough set theory-based feature selection and FGA-NN classifier for medical data classification. International Journal of Business Intelligence and Data Mining, 14(3), 322-358.
23) Brijet, Z., Kumar, B. S., & Bharathi, N. (2017). Vehicle anti-theft system using fingerprint recognition technique. Open Academic Journal of Advanced Science and Technology, 1(1), 36-41.
24) Mathew, A. R. Malware Analysis of API Calls using FPGA Hardware Level Security.
25) Sugumar, R. (2014). A technique to stock market prediction using fuzzy clustering and artificial neural networks.

| ISSN: 2395-0560 | www.irjie.org |editor@irjie.org| A Bimonthly, Peer-Reviewed, Scholarly Journal|

|Volume 5, Issue 3, May- June 2021|

DOI:10.15680/IRJIE.2021.0503001

26) Mathew, A., & Mai, C. (2018, May). Study of Various Data Recovery and Data Back Up Techniques in Cloud Computing & Their Comparison. In 2018 3rd IEEE International Conference on Recent Trends in Electronics, Information & Communication Technology (RTEICT) (pp. 2021-2024). IEEE.
27) Murugeshwari, B., Sudharson, K., Panimalar, S. P., Shanmugapriya, M., & Abinaya, M. (2020). SAFE–Secure Authentication in Federated Environment using CEG Key code.
28) Z. Brijet, N. Bharathi, G. Shanmugapriya. (2015). Design of Model Predictive Controller for Fluid Catalytic Cracking Unit. Fluid-IJCTA, 8(5), 1917-1926.
29) Singh, T. J., & Sugumar, R. (2012, December). An extensibility of THEMIS billing system for the cloud computing environment. In 2012 Fourth International Conference on Advanced Computing (ICoAC) (pp. 1-6). IEEE.
30) Mathew, A. (2020). Threat intelligence and internet of medical things (IoMT). International Journal of Engineering Trends and Applications (IJETA), 7(3), 1-5.
31) Amutha, M., & Sugumar, R. (2015). A survey on dynamic data replication system in cloud computing. International Journal of Innovative Research in Science, Engineering and Technology, 4(4), 1454-1467.
32) Sudarsan, V., & Sugumar, R. (2019). Building a distributed K-Means model for Weka using remote method invocation (RMI) feature of Java. Concurrency and Computation: Practice and Experience, 31(14), e5313.
33) Jayaraman, S., Rajendran, S., & P, S. P. (2019). Fuzzy c-means clustering and elliptic curve cryptography using privacy preserving in cloud. International Journal of Business Intelligence and Data Mining, 15(3), 273-287.
34) Brijet, Z., & Bharathi, N. (2021). Design of type-2 fuzzy logic controller for fluid catalytic cracking unit. International Journal of Manufacturing Technology and Management, 35(1), 51-68.
35) Sudhan, S. K. H. H., & Kumar, S. S. (2015). An innovative proposal for secure cloud authentication using encrypted biometric authentication scheme. Indian Journal of Science and Technology, 8(35), 1-5.
36) Mathew, A. R. Airport Cyber Security and Cyber Resilience Controls. arXiv 2019. arXiv preprint arXiv:1908.09894.
37) Sulthana, A. R., & Murugeswari, B. (2011, March). ARIPSO: Association rule interactive postmining using schemas and ontologies. In 2011 International Conference on Emerging Trends in Electrical and Computer Technology (pp. 941-946). IEEE.
38) Chiranjeevi, K. G., Latha, R., & Kumar, S. S. (2016). Enlarge Storing Concept in an Efficient Handoff Allocation during Travel by Time Based Algorithm. Indian Journal of Science and Technology, 9, 40.
39) Priya, P. S., & Sugumar, R. (2014). Multi Keyword Searching Techniques over Encrypted Cloud Data. In IJSR.
40) Suresh, T., Brijet, Z., & Sheeba, T. B. (2021). CMVHHO-DKMLC: A Chaotic Multi Verse Harris Hawks optimization (CMV-HHO) algorithm based deep kernel optimized machine learning classifier for medical diagnosis. Biomedical Signal Processing and Control, 70, 103034